

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1149	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 17:05
S3	2	HORI-YOSHIHIRO.in. KANAI-YUICHI.in. OHNO-RYOJI.in. OHISHI-TAKEO.in. TADA-KENICHIRO.in. HIRAI-TATSUYA.in. TSURU-MASAFUMI.in. HASEBE-TAKAYUKI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 17:10
S4	1054	HORI-YOSHIHIRO.in. KANAI-YUICHI.in. OHNO-RYOJI.in. OHISHI-TAKEO.in. TADA-KENICHIRO.in. HIRAI-TATSUYA.in. TSURU-MASAFUMI.in. HASEBE-TAKAYUKI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 17:10
S5	67471	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disengage\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Proce\$6 (Content\$4 or \$4Data or \$4Informat\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4plural\$5) (\$4Stor\$4 or \$4load\$4 or \$4writ\$4) (\$4Instruct\$7 or \$4program\$5 or \$4code\$4 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 18:37

EAST Search History

S6	2	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disengage\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Proce\$6 (Content\$4 or \$4Data or \$4Informat\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4plural\$5) (\$4Stor\$4 or \$4load\$4 or \$4writ\$4) (\$4Instruct\$7 or \$4program\$5 or \$4code\$4 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/21 18:46
S7	16	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disengage\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Proce\$6 (Content\$4 or \$4Data or \$4Informat\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4plural\$5) (\$4Stor\$4 or \$4load\$4 or \$4writ\$4) (\$4Instruct\$7 or \$4program\$5 or \$4code\$4 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/21 19:00
S8	9	S7 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 19:21

EAST Search History

S9	73	(\$4controller\$4 same (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disengage\$5) same (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) same (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) same \$4putt\$5) (Content\$4 or \$4Data or \$4Informat\$5 or \$4Multimed\$7) ((\$4Second\$4 or \$4plural\$5) with \$4Proce\$6) ((\$4Stor\$4 or \$4load\$4 or \$4writ\$4) with (\$4Instruct\$7 or \$4program\$5 or \$4code\$4 or \$4Command\$4 or \$4Execut\$6)) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3) ((\$4typical\$4 or \$4verag\$4 or \$4imum\$4 or \$4Estimat\$4) near3 (\$4time or \$4period\$4 or \$4delay\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 19:33
S10	56	S9 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 19:37
S11	0	(\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disengage\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 19:35
S12	41	((\$4Stor\$4 or \$4load\$4 or \$4writ\$4) \$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disengage\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/22 16:27

EAST Search History

S13	39	S12 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:08
S14	100	(\$4Stor\$4 with \$4controller\$4 with (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) with \$4putt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/22 16:28
S15	59	S14 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/22 16:30
S16	63	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Separat\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/25 19:10
S17	44	S16 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:11
S18	2	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Separat\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/25 19:12
S19	0	S18 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:09

EAST Search History

S20	30	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Separat\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:14
S21	19	S20 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:14
S22	4	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Separat\$5) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:25
S23	2	S22 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:26
S24	17	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/25 19:36
S25	5	S24 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:54
S26	0	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3) (\$4time with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:42

EAST Search History

S27	0	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3) (time with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:43
S28	4	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3) time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:50
S29	9	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 (\$4Storage\$7 or Hard?disk\$4 or (Read\$4 with Writ\$6)) (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4User\$2 or \$4host\$3 or \$4station\$2 or \$4devic\$3) (time or Period\$4 or \$4Schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 20:41
S30	3	S29 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 20:53
S31	11	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 (\$4Storage\$7 or Hard?disk\$4 or (Read\$4 with Writ\$6)) (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 21:05
S32	4	S31 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 21:06

EAST Search History

S33	11	(\$4controller\$4 same (\$4Storage\$7 or Hard?disk\$4 or (Read\$4 with Writ\$6))) (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 21:05
S34	30	(\$4controller\$4 same (\$4Storage\$7 or Hard?disk\$4 or (Read\$4 with Writ\$6))) ((\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) same (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) same \$4putt\$5 same (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:04
S35	4	S33 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 21:07
S36	17	S34 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 21:08
S37	10	(US-20030099357-\$ or US-20030105720-\$).did. or (US-7120251-\$ or US-6834346-\$ or US-5335277-\$ or US-6519715-\$ or US-4972473-\$ or US-7099479-\$ or US-5887243-\$ or US-7155616-\$). did.	US-PGPUB; USPAT	AND	ON	2007/02/26 09:57
S38	1	((\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) same (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) same \$4putt\$5 same (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) same ((time or Period\$4 or 4Schedul\$4) with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:10

EAST Search History

S39	0	S38 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:12
S40	8	((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) same \$4putt\$5 same (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) same ((time or Period\$4 or 4Schedul\$4) with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:24
S41	5	S40 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:26
S42	17	((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) same (\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) same (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) same ((time or Period\$4 or 4Schedul\$4) with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:24
S43	10	S42 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:41
S44	2	\$4controller\$4 (\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/26 10:39
S45	0	S44 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:56

EAST Search History

S46	14	(\$4controller\$4 or Storage\$7 or Hard?disk\$4 or (Read\$3 with Writ\$6)) (\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/26 11:21
S47	10	S46 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 11:28
S48	119	((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)).ti. or (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)).ab.) \$4controller\$4 (Storage\$7 or Hard?disk\$4) (Read\$3 with Writ\$6) (\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) (\$4Chain\$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) ((time or Period\$4 or 4Schedul\$4) with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 11:24
S49	81	S48 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 11:33
S50	12	(US-20030099357-\$ or US-20030105720-\$).did. or (US-7120251-\$ or US-6834346-\$ or US-5335277-\$ or US-6519715-\$ or US-4972473-\$ or US-7099479-\$ or US-5887243-\$ or US-7155616-\$ or US-6411714-\$ or US-5883957-\$). did.	US-PGPUB; USPAT	AND	ON	2007/02/26 12:39